

SECTION 1 : IDENTIFICATION**1.1 Product identifier**

Product name Engineering Series 3D Printer Resin EL400

Recommended use and restrictions on use

Recommended use For use in Phrozen 3D-printers

Restrictions on use Do not use in the situation that easily generate aerosol, steam.

1.2 Name, address and phone of manufacturer , importers or supplier

Manufacturer Phrozen Tech Co., Ltd. 287 Niupu Rd, Xiangshan Dist,
Hsinchu City 30091, TAIWAN(R.O.C)

Phone +886-3621-0505

Emergency phone / Fax +886-3621-0505 / +886-3539-6591

SECTION 2 : HAZARD IDENTIFICATION**2.1 Hazard classification**

Serious eye damage/eye irritation Category 1 , Acute toxicity: oral Category 4,

Skin sensitization Category 1 , Reproductive toxicity Category 1B,

2.2 Signal statement

Corrosion, Exclamation mark, Health hazard,

**2.3 Pictograms**

2.4 Signal word Danger

2.5 Hazard statements

Harmful if swallowed

Causes serious eye damage

May cause an allergic skin reaction

May damage fertility. May damage the unborn child

2.6 Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after working

Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET

Engineering Series 3D Printer Resin EL400



Page 2 of 10

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, If present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Immediately call a POISON CENTER/doctor.

Take off contaminated clothing. And wash it before reuse.

Dispose of contents/container to hazardous or special waste collection point.

2.7 Other hazard

None

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substances

Not relevant (mixture)

3.2. Mixtures

Components	CAS number	Weight %	Classification acc. to GHS
Acrylic monomer	Trade Secret	>90%	-
4-Hydroxybutyl acrylate	2478-10-6	<10 %	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Eye Dam. 1 / H318 Aquatic Acute2/H402
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	<10 %	Repr. 1B / H360FD
Carbon black	1333-86-4	<1%	Carc. 2 / H351

SECTION 4 : FIRST AID MEASURES**4.1. First-aid advice and recommendations for different routes of exposure****4.1.1 Inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

4.1.2 Skin Contact

Wash with plenty of soap and water.

4.1.3 Eyes Contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, freshwater for at least 10 minutes, holding the eyelids apart.

4.1.4 Ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2. Most important symptoms and hazardous effects

None

4.3. Protection of First-aid personnel

None

4.4. Note for physician

None

SECTION 5 : FIRE-FIGHTING MEASURES**5.1 Applicable extinguishing media**

Water spray, BC-powder, Carbon dioxide (CO₂)

5.2 Specific hazards confronted during fire fighting

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Specific fire-fighting procedure

None

5.4 Specific protective equipments for fire-fighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



SAFETY DATA SHEET

Engineering Series 3D Printer Resin EL400



Page 4 of 10

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2. Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3. Cleaning methods

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur(diatomite), sand, universal binder. Covering of drains.

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7 : SAFETY HANDLING AND STORAGE

7.1. Handling

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.

7.2. Storage

Storage at the area of cool,dry.

Keep away from heat ,direct sunlight, rainy and rapid temperature .

Storage temperature between 15°C/ 59°C to 35°C / 95°F.

Close the lid tightly when not in use.

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Engineering controls

Provide adequate ventilation to the areas where the product is stored and/or handled.

8.2. Control Parameters

Component	TWA	STEL	CEILING	BEI s
Carbon black	3.5 mg / m ³	-	-	-

8.3. Personal protective equipment**8.3.1 Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

8.3.2 Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374.

8.3.3 Eye protection

Use safety goggles.

8.3.4 Skin protection

Use clothing that provides complete protection to the skin.

8.4. Hygiene measures

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Apperance and color	Black liquid	Odor	Typical acrylate
Odor threshold	N/A	Melting point	N/A
pH value	N/A	Boiling point	N/A
Flammable	N/A	Flash point	132°C
Decomposition Temp	N/A	Testing method	Close up
Natural Temp	N/A	Explosive limit	N/A
Vapor pressure	N/A	Vapor density	N/A
Density	N/A	Solubility	N/A

SAFETY DATA SHEET

Engineering Series 3D Printer Resin EL400



Page 6 of 10

Octanol/water distribution coefficient (log Kow)	N/A	Evaporaion rate	N/A
--	-----	-----------------	-----

SECTION 10: STABILITY AND REACTIVITY

10.1. Stability

Stable under normal condition.

10.2. Possible hazardous reation under specific conditions

None

10.3. Must avoid condition

UV-radiation/sunlight.

10.4. Must avoid substances

Oxidisers, Reducing agents

10.5. Hazardous decomposed product

None

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Test data are not available for the complete mixture.

11.1. Exposure paths

None

11.2. Symptoms

None

11.3. Acute toxicity

Components	route	Species	End point	Value
4-Hydroxybutyl acrylate	Oral	Rat	LD50	871mg/kg
	Ingetion	Rat	LD50	> 2,000 mg/kg
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	Oral	Rat	LD50	> 5,000 mg/kg
	Dermal	Rat	LD50	> 2,000 mg/kg

11.4. Chronic toxicity

None

11.5. Reproductive and/or Developmental Effects

Components	route	Species	End point	Value
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	Ingestion	Rat	NOAEL premating into lactation for female	200 mg/kg/day

SECTION 12: ECOLOGICAL INFORMATION

The product has not been tested. The statement has been derived from the properties of the individual components.

12.1. Ecological toxicity

Aquatic toxicity (acute) of components of the mixture				
Components	End point	Value	Species	Exposure time
4-Hydroxybutyl acrylate	LC50	14.66 mg/l	fish	96 h
	EC50	22.53 mg/l	aquatic invertebrates	48 h
	ErC50	13.6mg/l	algae	72h
diphenyl(2,4,6-trimethylbenzoyl) phosphine oxid	LC50	1.4mg/l	fish	96 h
	EC50	3.53mg/l	aquatic invertebrates	48 h
	ErC50	>2.01mg/l	algae	72h
Aquatic toxicity (chronic) of components of the mixture				
Components	End point	Value	Species	Exposure time
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	EC50	>1,000 mg/l	microorganisms	180 min

12.2. Per sistence and degradability

Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
4-Hydroxybutyl acrylate	aerobic	90–100 %	21d	ECHA
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	oxygen deple-tion	0 -10%	28 d	ECHA

12.3. Bio-accumulative potential

Components	BCF	Log kow	BOD/COD
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	47 – 55	3.1 (pH value: 6.4, 23 °C)	-

12.4. Mobility in soil

None

12.5. Other adverse effects

None

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste disposal methods**

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

13.2. Sewage disposal method

Do not empty into drains. Avoid release to the environment.

13.3. Contaminated Packaging disposal method

Handle contaminated packages in the same way as the substance itself.

SECTION 14: TRANSPORT INFORMATION

Land transport USDOT	Not classified as dangerous goods under transport regulations.
Sea transport IMDG	Not classified as dangerous goods under transport regulations.
Air transport IATA/ICAO	Not classified as dangerous goods under transport regulations.
Further information	N/A
Other requirements	N/A

SECTION 15: REGULATORY INFORMATION**15.1. List of substances subject to authorisation (REACH, Annex XIV) / SVHC- candidate list**

None of the ingredients are listed

15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed

15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed

15.4. Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.5. National inventories

Country	Inventory	Status
AU	AU AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CA	NDSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
EU	EC Substance Inventory (EINECS, ELINCS, NLP)
EU	REACH registered substances



SAFETY DATA SHEET

Engineering Series 3D Printer Resin EL400



Page 10 of 10

CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
NZIoC	New Zealand Inventory of Chemicals
CICR	Chemical Inventory and Control Regulation
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

SECTION 16: OTHER INFORMATION

Reference	US OSHA HCS 29 CFR 1910.1200
Table formulation unit	Name : Phrozen Tech. Co. Ltd
	Address / Phone : 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091, TAIWAN(R.O.C) /+ 886-3-6210505
Table formulator	Job title : Occupational Safety & Health manager
	Name : Chun-Yao, Kuo
Table formulation Date	2024.02.16
Remarks	In the above described information, the symbol "N/A" means no relevant information currently.

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.

END OF SAFETY DATASHEET